



... but also **common ones** which cannot be rotated:



Here, the complete block between back edge and conditional jump should be duplicated :-)


1.9 Eliminating Partially Dead Code

Example:



$x + 1$ need only be computed along one path ;-(

Idea:



Problem:

- The definition $x = e;$ ($x \notin \text{Vars}_e$) may only be moved to an edge where e is safe $;-)$
- The definition must still be available for uses of x $;-)$



We define an analysis which maximally delays computations:

$$\begin{aligned} \llbracket ; \rrbracket^\# D &= \\ \llbracket x = e; \rrbracket^\# D &= \begin{cases} D \setminus (\text{Use}_e \cup \text{Def}_x) \cup \{x = e;\} & \text{falls } x \notin \text{Vars}_e \\ D \setminus (\text{Use}_e \cup \text{Def}_x) & \text{falls } x \in \text{Vars}_e \end{cases} \end{aligned}$$

... where:

$$Use_e = \{y = e'; \mid y \in Vars_e\}$$

$$Def_x = \{y = e'; \mid y \equiv x \vee x \in Vars_{e'}\}$$

... where:

$$Use_e = \{y = e'; \mid y \in Vars_e\}$$

$$Def_x = \{y = e'; \mid y \equiv x \vee x \in Vars_{e'}\}$$

For the remaining edges, we define:


$$\llbracket x = M[e]; \rrbracket^\# D = D \setminus (Use_e \cup Def_x)$$

$$\llbracket M[e_1] = e_2; \rrbracket^\# D = D \setminus (Use_{e_1} \cup Use_{e_2})$$

$$\llbracket Pos(e) \rrbracket^\# D = \llbracket Neg(e) \rrbracket^\# D = D \setminus Use_e$$

Warning:

We may move $y = e;$ beyond a join only if $y = e;$ can be delayed along all joining edges:







Here, $T = x + 1;$ cannot be moved beyond 1 !!!

We conclude:

- The partial ordering of the lattice for delayability is given by “ \supseteq ”.
- At program start: $D_0 = \emptyset$.
Therefore, the sets $\mathcal{D}[u]$ of at u delayable assignments can be computed by solving a system of constraints.
- We delay only assignments a where $a a$ has the same effect as a alone.
- The extra insertions render the original assignments as assignments to dead variables ...


Transformation 7:



Note:

Transformation **T7** is only meaningful, if we subsequently eliminate assignments to dead variables by means of transformation **T2** :-)

In the example, the partially dead code is eliminated:




	\mathcal{D}
0	\emptyset
1	$\{T = x + 1;\}$
2	$\{T = x + 1;\}$
3	\emptyset
4	\emptyset

Note:

Transformation **T7** is only meaningful, if we subsequently eliminate assignments to dead variables by means of transformation **T2** :-)

In the example, the partially dead code is eliminated:




	\mathcal{D}
0	\emptyset
1	$\{T = x + 1;\}$
2	$\{T = x + 1;\}$
3	\emptyset
4	\emptyset

Note:

Transformation **T7** is only meaningful, if we subsequently eliminate assignments to dead variables by means of transformation **T2** :-)

In the example, the partially dead code is eliminated:



	\mathcal{L}
0	$\{x\}$
1	$\{x\}$
2	$\{x\}$
2'	$\{x, T\}$
3	\emptyset
4	\emptyset

Remarks:

- After $T7$, all original assignments $y = e;$ with $y \notin \text{Vars}_e$ are assignments to dead variables and thus can always be eliminated :-)
- By this, it can be proven that the transformation is guaranteed to be non-degrading efficiency of the code :-))
- Similar to the elimination of partial redundancies, the transformation can be repeated :-}

Conclusion:

- The design of a **meaningful** optimization is non-trivial.
- Many transformations are advantageous only in connection with other optimizations :-)
- The **ordering** of applied optimizations matters !!
- Some optimizations can be iterated !!!

... a meaningful ordering:

T4	Constant Propagation Interval Analysis Alias Analysis
T6	Loop Rotation
T1, T3, T2	Available Expressions
T2	Dead Variables
T7, T2	Partially Dead Code
T5, T3, T2	Partially Redundant Code

2 Replacing Expensive Operations by Cheaper Ones

2.1 Reduction of Strength

(1) Tabulation of Polynomials

$$f(x) = a_n \cdot x^n + a_{n-1} \cdot x^{n-1} + \dots + a_1 \cdot x + a_0$$

	Multiplications	Additions
naive	$\frac{1}{2}n(n+1)$	n
re-use	$2n-1$	n
Horner-Schema	n	n

Idea:

$$f(x) = (\dots((a_n \cdot x + a_{n-1}) \cdot x + a_{n-2}) \dots) \cdot x + a_0$$

(2) Tabulation of a polynomial $f(x)$ of degree n :

- To recompute $f(x)$ for every argument x is too expensive :-)
- Luckily, the n -th differences are constant !!!

Example:

$$f(x) = 3x^3 - 5x^2 + 4x + 13$$

n	$f(n)$	Δ	Δ^2	Δ^3
0	13	2	8	18
1	15	10	26	
2	25	36		
3	61			
4	...			

Here, the n -th difference is **always**

$$\Delta_h^n(f) = n! \cdot a_n \cdot h^n \quad (h \text{ step width})$$

Costs:

- n times evaluation of f ;
- $\frac{1}{2} \cdot (n - 1) \cdot n$ subtractions to determine the Δ^k ;
- $2n - 2$ multiplications for computing $\Delta_h^n(f)$;
- n additions for every further value $:-)$



Number of multiplications only depends on n $:-))$

Simple Case:

$$f(x) = a_1 \cdot x + a_0$$


- ... naturally occurs in many numerical loops :-)
- The **first** differences are already constant:

$$f(x+h) - f(x) = a_1 \cdot h$$

- Instead of the sequence: $y_i = f(x_0 + i \cdot h), i \geq 0$
we compute: $y_0 = f(x_0), \Delta = a_1 \cdot h$
 $y_i = y_{i-1} + \Delta, i > 0$


Example:

```
for ( $i = i_0; i < n; i = i + h$ ) {  
     $A = A_0 + b \cdot i;$   
     $M[A] = \dots;$   
}
```



... or, after loop rotation:

```
i = i0;  
if (i < n) do {  
    A = A0 + b · i;  
    M[A] = ...;  
    i = i + h;  
} while (i < n);
```




... and reduction of strength:

```

i = i0;
if (i < n) {
    Δ = b · h;
    A = A0 + b · i0;
    do {
        M[A] = ...;
        i = i + h;
        A = A + Δ;
    } while (i < n);
}

```



Warning:

- The values b, h, A_0 must not change their values during the loop.
- i, A may be modified at exactly one position in the loop :-)
- One may try to eliminate the variable i altogether :
 - i may not be used else-where.
 - The initialization must be transformed into:
 $A = A_0 + b \cdot i_0$.
 - The loop condition $i < n$ must be transformed into:
 $A < N$ for $N = A_0 + b \cdot n$.
 - b must always be different from zero !!!

Approach:

Identify

- ... loops;
- ... iteration variables;
- ... constants;
- ... the matching use structures.


Loops:

... are identified through the node v with back edge $(_, _, v)$
:-)

For the sub-graph G_v of the cfg on $\{w \mid v \Rightarrow w\}$, we define:


$$\text{Loop}[v] = \{w \mid w \rightarrow^* v \text{ in } G_v\}$$

Example:




	\mathcal{P}
0	$\{0\}$
1	$\{0, 1\}$
2	$\{0, 1, 2\}$
3	$\{0, 1, 2, 3\}$
4	$\{0, 1, 2, 3, 4\}$
5	$\{0, 1, 5\}$

Example:




	\mathcal{P}
0	$\{0\}$
1	$\{0, 1\}$
2	$\{0, 1, 2\}$
3	$\{0, 1, 2, 3\}$
4	$\{0, 1, 2, 3, 4\}$
5	$\{0, 1, 5\}$

Example:



	\mathcal{P}
0	{0}
1	{0, 1}
2	{0, 1, 2}
3	{0, 1, 2, 3}
4	{0, 1, 2, 3, 4}
5	{0, 1, 5}

We are interested in edges which during each iteration are executed exactly once:



Graph-theoretically, this is not easily expressible :-)

Edges k could be selected such that:

- the sub-graph $G = \text{Loop}[v] \setminus \{(-, -, v)\}$ is connected;
- the graph $G \setminus \{k\}$ is split into two unconnected sub-graphs.

Edges k could be selected such that:

- the sub-graph $G = \text{Loop}[v] \setminus \{(_, _, v)\}$ is connected;
- the graph $G \setminus \{k\}$ is split into two unconnected sub-graphs.

On the level of source programs, this is **trivial**:

```
do {  $s_1 \dots s_k$ 
    } while ( $e$ );
```

The desired assignments must be among the s_i :-)

Iteration Variable:

i is an iteration variable if the only **definition** of i inside the loop occurs at an edge which separates the body and is of the form:

$$i = i + h;$$

for some **loop constant** h .

A loop constant is simply a constant (e.g., **42**), or slightly more liberal, an expression which only depends on variables which are not modified during the loop :-)

(3) Differences for Sets

Consider the fixpoint computation:

$$\begin{aligned} &x = \emptyset; \\ &\text{for } (t = F x; t \not\subseteq x; \boxed{t = F x};) \\ &\quad x = x \cup t; \end{aligned}$$

If F is **distributive**, it could be replaced by:

$$\begin{aligned} &x = \emptyset; \\ &\text{for } (\Delta = F x; \Delta \neq \emptyset; \boxed{\Delta = (F \Delta) \setminus x};) \\ &\quad x = x \cup \Delta; \end{aligned}$$

The function F must only be computed for the **smaller** sets Δ
:-) **semi-naive iteration**

Instead of the sequence: $\emptyset \subseteq F(\emptyset) \subseteq F^2(\emptyset) \subseteq \dots$

we compute: $\Delta_1 \cup \Delta_2 \cup \dots$

where:
$$\begin{aligned} \Delta_{i+1} &= F(F^i(\emptyset)) \setminus F^i(\emptyset) \\ &= F(\Delta_i) \setminus (\Delta_1 \cup \dots \cup \Delta_i) \quad \text{with } \Delta_0 = \emptyset \end{aligned}$$

Assume that the costs of $F x$ is $1 + \#x$.

Then the costs sum up to:

naive	$1 + 2 + \dots + n + n = \frac{1}{2}n(n + 3)$
semi-naive	$2n$

where n is the cardinality of the result.

\implies A linear factor is saved :-)